



| MODEL | SR42HDB |
|-------------------------------|-------------------------------------|
| Panel Type | 42" (16:9) LED Monitor |
| Case Type | Plastic Case |
| Maximum Resolution | 1920 (H) x 1080 (V) |
| Active Display Area | 940.896(H) x 529.254(V) mm |
| Pixel Pitch | 0.163(H) x 0.490(V) mm |
| Bezel Thickness | T: 12.82mm L/R: 12.32mm, B: 18.91mm |
| Contrast Ratio | 1200 : 1 Ratio |
| Brightness | 250 cd/ m ² |
| Response Time | 8m.sec (G to G) |
| Viewing Angle | 89 / 89 U / D 89 / 89° |
| Display Colours | 16.7 M |
| Video Synchronization | Yes |
| PC Compatibility | Yes |
| Aspect Ratio | 16 : 9 Ratio |
| VGA Auto Frequency correction | Yes |
| Speakers | Yes |
| Number of Speakers | 2 |
| Sound Demodulation | Stereo |
| Mute | Yes |
| Work Humidity | 0 % – 80 % |
| Work Temperature | 0 to +50 °C |
| Volume +/- Power On/Off | Yes |
| MTBF | 40,000 hrs |

| MODEL | | SR42HDB |
|---|---|---------|
| IN/OUT INTERFACE | | |
| Video Interface | VGA, HDMI, 1 x BNC in, 1 x BNC out, Audio | |
| Audio Interface | 3.5 mm Jackplug | |
| Power Interface | AC | |
| Termination | 75 Ohms (Automatic termination) | |
| Safety & EMC Certification | FCC, CE, ROHS-2, Reach, Weee | |
| Vesa Standard Mount | 100mm x 100mm | |
| Stand Type | Picture Frame | |
| Colour | Black | |
| Button Position | Left Black | |
| Packing Dimension | 1130 mm x 220 mm x 723 mm | |
| NET Weight | 9 Kgs | |
| GROSS Weight | 15.8 Kgs | |
| POWER | | |
| Power Supply | AC110 – 240V 1A | |
| Voltage | AC110 – 240V 1A | |
| Power Consumption | < 80W | |
| OSD CONTROLS | | |
| VIDEO – Picture, Brightness, Contrast, HUE, Saturation, Sharpness, Color Temp, Picture Mode, OSD – Language, H-position, V-position, Duration, Backlight, Mem-recall, Function – Hstart, Hsize, Vstart, Vsize, Audio-Bass, Treble, Balance, Sound mode, AVC | | |
| OSD LANGUAGE | | |
| English, French, German, Spanish, Italian, Russian, Portuguese & Polish | | |
| ACCESSORIES | | |
| Power Cable, Stand, Remote Control, User Guide, HDMI Cable | | |

